FORM PTO-139 (REV 11-98)	00 (Modified) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER
	RANSMITTAL LETTER TO THE UNITED STATES	RCA 89131
	DESIGNATED/ELECTED OFFICE (DO/EO/US)	U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR
	CONCERNING A FILING UNDER 35 U.S.C. 371	n9/74365 3
PCT/U	IONAL APPLICATION NO. S99/16188 INTERNATIONAL FILING DATE 15 July 1999 (15.07.99)	PRIORITY DATE CLAIMED 17 July 1998 (17.07.98)
TITLE OF I	NVENTION	
A CO	NDITIONAL ACCESS SYSTEM FOR BROADCAST DIG	ITAL TELEVISION
APPLICAN	T(S) FOR DO/EO/US	
Ahme	t Mursit Eskicioglu; William Wesley Beyer	s; Izzat Hekmat Izzat;
	n Arturo Heredia; Yousef Wasef Nijim	
Applicant l	nerewith submits to the United States Designated/Elected Office (DO/EO/US) the	e following items and other information:
1. K	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.	
2.	This is a SECOND or SUBSEQUENT submission of items concerning a filing	
3. KJ	This is an express request to begin national examination procedures (35 U.S.C. examination until the expiration of the applicable time limit set in 35 U.S.C. 37	371(f)) at any time rather than delay 1(b) and PCT Articles 22 and 39(1).
4. X	A proper Demand for International Preliminary Examination was made by the	19th month from the earliest claimed priority date.
5. 🏗	A copy of the International Application as filed (35 U.S.C. 371 (c) (2))	
	a. \square is transmitted herewith (required only if not transmitted by the Intern	ational Bureau).
	b. \square has been transmitted by the International Bureau.	
□ ••. □ •7. ×	c. 🛛 is not required, as the application was filed in the United States Recei	
-6. □	A translation of the International Application into English (35 U.S.C. 371(c)(2)	
-7. XI	A copy of the International Search Report (PCT/ISA/210). attached	
8. X	Amendments to the claims of the International Application under PCT Article	
	a. \square are transmitted herewith (required only if not transmitted by the Internal	national Bureau).
27 E	b. have been transmitted by the International Bureau.	
12.	c. have not been made; however, the time limit for making such amendm	nents has NOT expired.
10 STEP	d. A have not been made and will not be made.	
9.	A translation of the amendments to the claims under PCT Article 19 (35 U.S.C.	. 371(c)(3)).
19. U	An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).	
	A copy of the International Preliminary Examination Report (PCT/IPEA/409).	
12.	A translation of the annexes to the International Preliminary Examination Repo (35 U.S.C. 371 (c)(5)).	nt under PC1 Article 36
	3 to 20 below concern document(s) or information included:	
13. 🔯	An Information Disclosure Statement under 37 CFR 1.97 and 1.98. With	references attached
14.	An assignment document for recording. A separate cover sheet in compliance	
15. 🔯	A FIRST preliminary amendment.	
16.	A SECOND or SUBSEQUENT preliminary amendment.	
17.	A substitute specification.	
18.	A change of power of attorney and/or address letter.	
19. X	Certificate of Mailing by Express Mail 20. Return postca	sd receint
· 	AND THE POST OF MAILING UNDER	
***************************************		uary 2001
		of Deposit
	I hereby certify that this application is being deposited we Service "Express Mail Post Office to Addressee" service un indicated above and is addressed to the Assistant Commit D.C. 20231. DAVIDA FORNAROTTO	nder 37 CFR 1.10 on the date
		person mailing
	mailing application appli	ication

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR	INTERNATIONAL APPLI PCT/US99/161	CATION NO.	Rec'd		S DOCKET NUMBER
 69/743653	EC1/0933/101	0.9		RCA 8	AT2T
21. The following fees are submitted:.				CALCULATIO	NS PTO USE ONLY
BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) -					
international search fee (37 CFR 1.445(a)(2) and International Search Report not prepared	paid to USPTO	\$100	0.0		
International preliminary examination fee (3' USPTO but Internation Search Report prepare	7 CFR 1.482) not paid to red by the EPO or JPO	\$860	.00		
International preliminary examination fee (3' but international search fee (37 CFR 1.445(a)(2)) paid to USPTO	\$710	. oò		
 International preliminary examination fee pa but all claims did not satisfy provisions of PC International preliminary examination fee pa 	CT Article 33(1)-(4)	\$690	0.0		
International preliminary examination fee pa and all claims satisfied provisions of PCT Ar ENTER APPROPRI	ticle 33(1)-(4)	\$100		260.00	γ
Surcharge of \$130.00 for furnishing the oath or decl				860.00	ļ
nonths from the earliest claimed priority date (37 C	FR 1.492 (e)).	20 🗆 3			1
CLAIMS NUMBER FILED	NUMBER EXTRA	RATI			
Total claims 6 - 20 =	0	x \$18.0	0		
Independent claims 1 - 3 =		× \$80.	.00		
Multiple Dependent Claims (check if applicable).					
	ABOVE CALCUL		=	860.00	
Reduction of 1/2 for filing by small entity, if application also be filed (Note 37 CFR 1.9, 1.27, 1.28) (chests)	able. Verified Small Entity seck if applicable).	Statement			
	St	BTOTAL	=	860.00	
cessing fee of \$130.00 for furnishing the English anths from the earliest claimed priority date (37 C	translation later than FR 1.492 (f)).	20 🗆 3	0 +		
4	TOTAL NATION	AL FEE	=	860.00	
for recording the enclosed assignment (37 CFR companied by an appropriate cover sheet (37 CFR	1.21(h)). The assignment model 3.28, 3.31) (check if applied	ist be able).			
	TOTAL FEES EN	CLOSED	=	860.00	
			A	mount to be: refunded	\$
				charged	\$ 860.00
☐ A check in the amount of ☐ Please charge my Deposit Account No. 07 A duplicate copy of this sheet is enclosed. ☐ The Commissioner is berefit out to give the size of the control of		tof \$860.		to cover the abo	ove fees.
The Commissioner is hereby authorized to combine to Deposit Account No. 07-0832	narge any rees which may be A duplicate copy of this she	-	edit any o	overpayment	
OTE: Where an appropriate time limit under 3' .137(a) or (b)) must be filed and granted to restor	7 CFR 1.494 or 1.495 has n e the application to pendi	ot been met, a	petition	to revive (37 CI	TR)
END ALL CORRESPONDENCE TO:		()	<i>ک</i> ن^	IN	
Mr. Joseph S. Tripoli		SIGNATI	JRE		
THOMSON multimedia Licen:	sing Inc.	Dav	id T	Shonemai	า
Patent Department PO Box 5312		NAME	_~	J.IOIICINAI	
Princeton, New Jersey 08!	540				
•			, 371 ATION 1	NUMBER	
BINISEICING I		-		70 000	
	Willey IV.	DATE	nuary	12. 200	

中にいいいと

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Ahmet Mursit Eskicioglu; William Wesley Beyers;

Izzat Hekmat Izzat; Edwin Arturo Heredia;

Yousef Wasef Nijim

Filed

Herewith

For

A CONDITIONAL ACCESS SYSTEM FOR BROADCAST

DIGITAL TELEVISION

PRELIMINARY AMENDMENT

Hon. Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231

Sir:

In the US national phase application of PCT/US99/16188 filed herewith, please enter the following amendments:

IN THE SPECIFICATION:

Please amend the specification as follows:

On Page 1, following the title, insert:

-- This application claims the benefit under 35 U.S.C. § 365 of International Application PCT/US99/16188, filed July 15, 1999, which claims the benefit of U.S. Provisional Application Serial No. 60/093,223, filed July 17, 1998. --

IN THE ABSTRACT:

Please add the following Abstract.

-- A method for managing access to scrambled broadcast or transmitted events received from a variety of service providers (including broadcast television networks, cable television networks, digital satellite systems). Each service provider employs the same public key for descrambling the access information message thereby permitting a user to access events from various service providers without changing the smart card. The method may also be expanded to manage access to a scrambled package of broadcast events.--

REMARKS

The specification has been amended to include a reference to the priority application.

To meet the requirements of the United States, the Abstract (as amended during the prosecution of the PCT application) is added. To meet the requirements of the United States Patent and Trademark Office, reference indicia has been delete.

No fee is believed to have been incurred by virtue of this amendment. However if a fee is incurred on the basis of this amendment, please charge such fee against deposit account 07-0832

Respectfully submitted, Ahmet Mursit Eskicioglu William Wesley Beyers Izzat Hekmat Izzat Edwin Arturo Heredia Yousef Wasef Nijim

David T. Shoreman Attorney Registration No. 39,371 609/734-9875

THOMSON multimedia Licensing Inc. Patent Operation PO Box 5312 Princeton, NJ 08543-5312

January 12, 2001

PCT/US99/16188

PTO/PCT Rec'd 12 JAN 2000

A CONDITIONAL ACCESS SYSTEM FOR BROADCAST DIGITAL TELEVISION

Field of the Invention

5

10

15

20

This invention concerns a system that may be employed to provide conditional access to multiple broadcasters by a single consumer electronic device, such as a set-top box or a digital television. Each device is capable of receiving broadcast or transmitted digital streams from a variety of broadcast sources.

Background of the Invention

Today's NTSC televisions receive broadcast services from a variety of service providers (see Figure 1). Most television receivers 12 are capable of receiving unscrambled, information or programs directly from broadcast 22, satellite 26 and cable 24 networks. Traditionally, cable networks 24 providing scrambled or encrypted programs usually require a separate stand-alone device 16a (e.g., a set-top box) to descramble or decrypt the program. Similarly, digital satellite systems usually provide scrambled or encrypted programs that also require the use of a separate set-top box 16b. These set-top boxes may utilize a removable smart card 18a, 18b which contain the necessary decrypting algorithms and keys. Typically, a separate set-top box is required for each service provider.

25

30

35

In the near future, broadcast digital television services may comprise 5 to 20 local channels, each of which may broadcast up to 10 simultaneous programs, some of these programs being pay-per-view programs. A user may want a mix of services from several of the different service providers. For example, a user may want to purchase all of the Indiana University basketball games from local channel 4 and purchase all of the Notre Dame football games from channel 13 and purchase all of the Indianapolis Colts games from channel 8. If each of these services were uniquely scrambled, the user would be burdened with purchasing multiple conditional access smart cards and swapping the cards as the user channel surfs.

2 Summary of the Invention

The present invention resides, in part, in recognition of the described problem and, in part, in providing a solution to the problem. A single conditional access system that is capable of being used with a plurality of service providers without changing security modules is provided. Such a global conditional access system employs the concept of automatically debiting a user's account as a program is purchased versus logging all purchases and transmitting the log to the service provider for billing. To achieve the desired flexibility, the system employs a global public key that is used by all of the service providers; this is the public key for every smart card. The corresponding private key is loaded into the smart card. It is well within the teachings of this application that more than one public/private key pair may be used to minimize the impact should security be breached.

15

20

10

5

An event or program as described herein comprises one of the following: (1) audio/visual data such as a movie, weekly "television" show or a documentary; (2) textual data such as an electronic magazine, paper, or weather news; (3) computer software; (4) binary data such as images or (5) HTML data (e.g., web pages). The service providers include any provider broadcasting events, for example, traditional broadcast television networks, cable networks, digital satellite networks, providers of electronic list of events, such as electronic program guide providers, and in certain cases internet service providers.

25

30

35

Such a system can be based on public key technology. One public key (number) is available to all service providers. This is the public key for every smart card. Each smart card has stored therein a secret private key that can decrypt messages encrypted by the public key. The service provider sends a CA entitlement message in the transmission stream encrypted by the public key that contains the name of the service provider, the name, time, and cost of the program and the key to decrypt the keys used to scramble the program. This message is decrypted by the smart card, and the appropriate information is stored in the smart card for each event purchased. The smart card has a certain amount of credit for purchases that has been enabled by the bank. As long as the limit is not exceeded, programs can be purchased by the viewer. At some appropriate preprogrammed time, the smart card forces a telephone call to the CA center. Using another set of public and private keys,

10

15

20

3

the CA center in cooperation with a bank receives billing information from the smart card and provides additional credit. The bank forwards the information and credits the appropriate service provider.

Generally, the present invention defines a method for providing conditional access to a restricted broadcast or transmitted event. First encrypted access information associated with the broadcast event is received. Next the access information is decrypted (or descrambled) and the cost of said broadcast event is verified to determine if it is less than a pre-stored cash reserve. Then the scrambled broadcast event is received from the service provider and it is descrambled.

In accordance with one aspect of the present invention, the method for managing access to a restricted broadcast or transmitted event from one of a plurality of service providers comprises receiving a plurality of access information messages associated with the transmitted event. Each of the access information messages being scrambled using a different public key and comprising data corresponding to the cost of the transmitted event. Then, decrypting or descrambling one of the access information messages using the pre-stored private key associated with the service provider and verifying that the cost of the transmitted event is less than a pre-stored cash reserve. Finally, receiving the scrambled transmitted event from one of the service providers and descrambling the transmitted event using the descrambling key.

In accordance with another aspect of the present invention the method for managing access to a restricted transmitted package of events comprises receiving digitally signed access information associated with the package of events via a direct channel and comprising data corresponding to the cost of the package of events. The signature on the acess information is verified using a public key; the cost of the package is checked to ensure that it is less than a pre-stored cash reserve. When any one of the scrambled broadcast events belonging to the package is received from the service provider, its access information is decrypted to obtain the descrambling key.

In accordance with yet another aspect of the present invention the method for managing access to a restricted transmitted event comprises transferring, from a bank, a cash reserve to a smart card; receiving, from a service provider, an encrypted event key and the cost of the event; passing

20

25

30

35

4

the event key and purchase information to the smart card which is coupled to the digital video apparatus. Next, the cost of the event is verified to determine that it is less than the stored cash reserve and the cost is deducted. The encrypted event key is decrypted and the scrambled event is received and then passed to the smart card where it is descrambled using the decrypted event key. Finally, the descrambled event is transferred to the digital video apparatus.

These and other aspects of the invention will be explained with reference to a preferred embodiment of the invention shown in the accompanying Drawings.

Brief Description of the Drawing

Figure 1 is a block diagram illustrating a prior art configuration for interconnecting consumer electronic devices to a variety of service providers.

Figure 2 is a block diagram illustrating one architecture for interfacing a common digital television to a plurality of terrestrial broadcasters; and

Figure 3 is a block diagram of an exemplary implementation of a system for managing access to a device in accordance with the invention.

Detailed Description of the Drawing

The present invention provides a conditional access system, which may be utilized to obtain services from one of a plurality of sources. The conditional access system when implemented within a digital television (DTV), or set-top box or the like, permits a user to receive scrambled events from more than one service provider without swapping conditional access modules or smart cards. Alternately, the functionality of the smart card may be embedded within the DTV. Such a conditional access system may act as a toll bridge for access to services thereby permitting a mechanism for the manufacturer of the DTV to collect fees based on use of its DTV. Similarly, this invention may be implemented within a set-top box (STB); for simplicity, the below description of the invention will be directed towards an implementation using a digital television and a smart card coupled thereto.

10

15

20

25

30

35

5

In Figure 2, system 30 depicts the general architecture for managing access to a digital television (DTV) 40a, 40b. For simplicity the following description will be limited to a single DTV 40a. Similar element numbers define the same functional element. Smart Card (SC) 42a is inserted into or coupled to a smart card reader (not shown) of DTV 40a; bus 45 interconnects DTV 40a and SC 42a thereby permitting the transfer of data therebetween. Such smart cards include, for example, ISO 7816 cards complying with National Renewable Security Standard (NRSS) Part A or PCMCIA cards complying with NRSS Part B. This inventive concept is not limited to smart cards per se, but can be employed with conditional access modules. Conceptually, when such a smart card is coupled to a smart card reader, the functionality of the smart card may be considered to be a part of the functionality of the digital television thus removing the "boundaries" created by the physical card body of the smart card.

DTV 40a can receive services from a plurality of service providers (SPs), such as a broadcast television SPs 50 and 52, a cable television (not shown), and a satellite system (not shown). This invention finds benefit in terrestrial broadcasting. Certificate authority (CA) 75 is not directly connected to either the service providers or DTV 40a but issues digital certificates and public and private key pairs, which are used as, explained below. It is within the scope of this invention that the role of certificate authority 75 may be performed by the service providers in collaboration with the manufacturer of the DTV 40a. Billing center 70 is utilized to manage the user's accounts; updated information is provided as users make arrangements to purchase additional services and as these services are consumed or used.

Such a Conditional Access (CA) system designed for DTV broadcast technology is a transport-based system. This means that CA information for a particular broadcaster is transmitted only on its own RF channel. Each broadcaster is responsible for its own information and hence, there is no need for pre-established code of conducts to coordinate and/or synchronize information among several broadcasters. Further, the CA system is based on E-cash card loading. A user pre-loads his/her card with a certain amount of cash (from debit or credit accounts), and then uses the card to buy event packages, pay for monthly subscriptions, or buy specific programs in PPV mode. An event package may include, for example, all the games of

20

25

30

35

6

your favorite professional sports franchise or all the late Sunday movies on one or more virtual channels.

The broadcast channel is used only to deliver the services and information for access to these services. All the remaining transactions are carried out using a return channel (i.e., a modem and a phone connection). Broadcasting of addressable messages is not needed. The broadcast services are protected using a common scrambling algorithm. The keys used in this process and event purchase information are encrypted with a global public key, and delivered to the user via the MPEG-2 stream. For event 10 packages, package certificates are sent to the user, from the CA server 60a, via the return channel. As described below in more detail, certificates are usually signed to ensure integrity of the certificate. That is, to ensure that the proper and unmodified certificate is received from the sender. Services are accessed through a renewable security module, i.e., and a smart card. 15

Symmetric key cryptography involves the use of the same algorithm and key for both encryption and decryption. The foundation of public-key cryptography is the use of two related keys, one public and one private. The private key is a secret key and it is computationally unfeasible to deduce the private key from the public key, which is publicly available. Anyone with a public key can encrypt a message but only the person or device having the associated and predetermined private key can decrypt it. Similarly, a message can be encrypted by a private key and anyone with access to the public key can decrypt that message. Encrypting messages using a private key may be referred to as "signing" because anyone holding the public key can verify that the message was sent by the party having the private key. This may be thought of as being analogous to verifying a signature on a document.

A digitally signed message is a message sent in the clear (i.e., unencrypted) having a signature attached thereto. The attached signature is produced by encrypting either the message itself or a digest of the message; a digest of the message is obtained by hashing the message. (Hashing involves subjecting the message to a one-way hashing algorithm, such as MD5 developed by Ron Rivest or SHA-1 developed by the National Institute of Standards and Technology (NIST) and the National Security Agency (NSA) prior to encrypting the message.) Thus the recipient of the signed message can verify the integrity (i.e., the source or origin)of the message. (In

comparison, a public key certificate or digital certificate is a message, containing a public key sent in the clear having a signature attached thereto.) Signature verification involves checking the signature by decryption.

As defined above, the five essential components of the CA system are the broadcaster, the CA vendor, the billing center (e.g., a bank), the end user, and the Certificate Authority. Figure 2 illustrates the overall system architecture, and identifies these five components with their communication links and data flows.

10

15

20

35

5

The end user communicates with the CA vendor for downloading certificates through a point-to-point link such as a telephone line. The telephone line is used for automatic transactions and for voice connection when necessary. For automatic transactions, one enabling protocol is the Point-to-Point Protocol (PPP). Security is implemented at the application layer using private protocols.

Communication between the CA vendor and the broadcaster may be established through a Local Area Network (LAN) or Wide Area Network (WAN). As before, security is embedded at the application level using privately-defined protocols running over existing internetworking protocols. The broadcast facility equipment needed to protect the broadcast streams can be an off-the-shelf product available from multiple CA vendors.

25 Broadcasters are responsible for delivering: (1) the services, and (2) the entitlement messages. Such entitlement messages include access information (AIM) messages described below in more detail, (or alternatively entitlement control messages and entitlement management messages) that allow any user to buy those services. Communication between a broadcaster and the user therefore follows the point-to-multipoint model of broadcast technology. Broadcast AIMs do not contain addresses unique to each user or

subscriber, which is typical with satellite or cable systems.

If DTV 40a does not have a back channel connection needed to communicate with the CA server then loading cash to the card requires the user to either access a DTV unit with back-channel support or go to a particular location (bank, ATM, vendor's regional office) to have the card loaded. The CA operators act like the card holder's or user's bank, while the

10

15

20

8

billing center acts like the merchant's bank. The card association could be the middleman between the CA operators and the broadcasters' banks that provides a transaction settlement service. The fixed amount of "cash" loaded into the smart card or conditional access module can now be used to pay of services offered by a broadcaster.

Whichever cash transfer mechanism is employed, the user requests a transfer of a specific amount of money to the CA card from a credit or debit account. After proper verification of the subject's identity and validation of user resources, the transaction is authorized, and the nominal amount of money is stored in the CA card.

Once money is loaded into the card, a user can buy any number of services offered by broadcasters. Each purchase reduces the amount of available money in the card by the service price. The services offered by broadcasters can be classified into two categories; PPV events and packages. An event is a TV program with an allocated slot in a program guide and a package is simply a collection of events. Examples of packages are (1) all the NBA games in a given season, (2) the late Sunday movies on one or more virtual channels, (3) subscription to a particular virtual channel such as HBO. All events must have one or more of their audiovisual streams scrambled using a common symmetric key algorithm. Entitlement packages, which contain purchase information and descrambling keys, have to be encrypted with a common public-key algorithm.

25

30

35

Upon purchase of an event, a record may be stored in the smart card which may be later transferred to the CA vendor. Once the stored purchase information is sent to the CA database, a CA vendor can pay broadcasters for the provided services. In addition, each smart card has non-volatile memory to keep the following information.

A 32-bit field represents the card serial number. A 128-bit BCD field for the user (credit or debit) card number. A 10-byte field for the CA server phone number. A 10-byte field for an alternate CA server phone number. A 40-bit BCD field to store the amount of money available to the user. A field for a signature on the last E-cash certificate. An 8-bit field to store a threshold value to inform the user that the available E-cash is less than

15

20

25

a predetermined threshold or to initiate an automatic call back to the CA server to add money. A 40-bit BCD field for the amount of money downloaded to the card without user involvement when E-cash is less than the threshold. The amount is determined by the user and sent to the CA server during card activation. If this value is zero, automatic E-cash download will not be allowed. Two 768-bit fields for storing the private key for decrypting the AIMs and for storing the public key for verifying the signature on certificates. An 21-byte field for storing the DES key for descrambling the broadcast services. Two 96-byte fields for storing the key to replace the current private key and for the key to replace the current verification key. An 8-byte field for storing the symmetric DES key for secure communication with the CA server is also provided. It is within the scope of this invention that a scrambling algorithm may be a cipher other than DES.

The card must store information for PPV events and the packages purchased by the user. If the card memory is full, the user will not be allowed to purchase additional events.

Data exchange between the card and the host is based on a well-defined common interface, i.e., the National Renewable Security Standard (NRSS), EIA-679 Part A or Part B. Since the phone line is a widely available physical link, the chosen protocol between the CA server and the host is the Point-to-Point protocol (PPP), RFC 1548, adopted as Standard 51 with security provided within PPP datagrams. The technological innovation described herein does not preclude the use of alternative protocols different from PPP on the return channel.

PPP is a protocol based on the HDLC standards of ISO, as adopted by the ITU-T for X.25 systems. It was developed by IETF to transport datagrams from multiple protocols over point-to-point links. The frame format is a 16 bit protocol field (defined in RFC 1700, "Assigned Numbers"), followed by an information field of variable length and then followed by a padding field containing optional bytes added to adjust the frame length (if required by the receiving protocol).

35

30

For exchanging data between the card and the CA server, a new protocol is defined, having a protocol field value 0x00FF. The value of the

padding field is always zero for this new protocol. The new protocol provides reliable transmission using acknowledgment (ACK) and negative acknowledgment (NACK) messages which are inserted into the first byte of the Information field both messages utilizing an 8-bit uimsbf format.

5

An ACK may be followed by information (piggyback acknowledgment) sent as a reply. If the receiving end detects a corrupted message, it responds with a NACK, and requests retransmission by the sender.

10

15

20

Using the above protocol, the smart card initiates a callback to the CA server under any of the following conditions:

- 1. The card has been inserted into the DTV for the first time.
- 2. The user has entered a request for an advanced package purchase using a displayed menu.
- 3. The smart card memory is full.
- 4. The local time is within the interval [1am-6am] and there are new records to be sent.
- 5. The card has received a notification for a new private key or verification key.
- 6. The smart card money is less than the specified threshold and automatic E-cash download is enabled.
- 7. The user has entered a request for money using a displayed menu.
- 8. The user has entered a request to cancel a package purchase.
- Depending on the condition, the card sends an initial alerting message to inform the CA server about the user and the purpose of the call.

When the user inserts the card into the DTV for the first time, the information specific to the card is sent to the CA server for registration. This information is encrypted with Kcallback.

Card → CA server: Alert message (with alert_type = 0x01)

Card ← CA server: ACK message

Card → CA server: Card information message

Card ← CA server: ACK message

35

30

An advanced purchase can be made using a displayed menu. In response to the user request, the CA server sends a package certificate that will be saved on the card. For example,

Card → CA server: Alert message (with alert_type = 0x02)

Card ← CA server: ACK message | Signed package certificate message

Card → CA server: ACK message

5

10

15

JILUM

may The

IJ

The Package Certificate format contains the following fields. An 8-bit field that indicates a package certificate message. Two values are possible, one for renewable package subscription and one for non-renewable package subscription. A 32-bit field that identifies the registration authority that assigns values to the provider_index field. A 16-bit field that identifies the content provider. This unique number is registered with the registration authority identified by the format_identifier. A 16-bit field that identifies the transport stream where the event is being carried. A 16 bit field that indicates the package identifier. An 8-bit field for the title field. A variable length field for the title of the package using ASCII with Latin-1 extensions. A 40-bit field which indicates the price of the package in BCD format. A 24-bit field which indicates the expiration date of the package.

The PPV event purchase records are temporarily stored in the card until after the event is broadcast. They are sent to the CA server without user involvement and when either

- (i) the card memory is unable to store more records or
- (ii) the local time is in the interval [1am-6am] and there are new records to be sent.

25

All records are encrypted with Kcallback.

(i) Smart card memory is full

Card \rightarrow CA server: Alert message (with alert type = 0x03)

30 Card ← CA server: ACK message

Card → CA server: A variable number of encrypted PPV event purchase records

Card ← CA server: ACK message

35 (ii) The local time is within the interval [1am-6am] and there are new records to be sent

Card \rightarrow CA server: Alert message (with alert type = 0x04)

Card ← CA server: ACK message

40 Card → CA server: A variable number of encrypted PPV event purchase records

Card ← CA server: ACK message

When the private key or verification key needs to be replaced, a notification is sent to the cards using the broadcast channel. Each user is then required to initiate a callback to receive the new key.

Card → CA server: Alert message (with alert_type = 0x05)

Card ← CA server: ACK message | Key replacement message

Card → CA server: ACK message

10 Money is added to the card when;

- 1. the smart card money is less than a specified threshold or
- 2. the user enters a request for money using a displayed menu or
- 3. the card is taken to a remote location (if there is no local phone connection).
- In all cases, the entity providing the money verifies the credit or debit card information, generates an E-cash Certificate (ECC), and sends it to the card. The ECC message format is an 8-bit field for the message type and 40-bit field to hold the BCD value of the amount of money to be added to the smart card.
- 20 1) Automatic E-cash download is enabled:

Card → CA server: Alert message (with alert_type = 0x06)

Card ← CA server: ACK message

Card → CA server: Signature on E-cash

Card ← CA server: ACK | Signed E-cash certificate message

25 Card → CA server: ACK message

2) The E-cash Certificate contains the predefined, fixed amount of E-cash. Automatic E-cash download is disabled. The user proceeds as follows;

Card → CA server: Alert message (with alert_type = 0x07)

30 Card ← CA server: ACK message

Card → CA server: Signature on E-cash | E-cash amount message

Card ← CA server: ACK message | Signed E-cash certificate message

Card \rightarrow CA server: ACK message

The user can cancel a purchase by using a menu displayed on the screen. The action taken by the card depends on the type of the purchase:

(i) Package purchase: A call is initiated to the CA server.

Card → CA server: Alert message (with alert_type = 0x08)

Card ← CA server: ACK message

Card → CA server: Canceled package purchase record

Card ← CA server: ACK message | Signed E-cash certificate message

Card → CA server: ACK message

(ii) PPV event purchase: If the deadline for canceling the event has not been reached, the chosen record is deleted entirely.

10

15

The AIMs are carried as private data in the adaptation field of the Transport Stream packets carrying video data. These AIMs could also be carried in the Transport Stream with different PIDs using the tools and functions available for ECM transmission in MPEG-2. The adaptation_field_control bits shall be '10' (Adaptation field only, no payload) or '11' (adaptation field followed by payload). The maximum cycle time for AIM messages with the same AIM_id shall be 500 ms.

The bit-stream syntax for the Access Information Message contains the following fields. A unique 8-bit identifier of this access 20 information message. The AIM_id field is the second byte in the private data section of the adaptation field. The first byte is allocated for identifying the public key used in protecting the AIM (if multiple public keys are used in a given DMA). An 8-bit field specifying the number of bytes in the AIM immediately following the AIM_length field. A 32-bit field that identifies the 25 registration authority that assigns values to the provider_index field. A 16-bit field that identifies the content provider. This unique number is registered with the registration authority identified by the format_identifier. A 24-bit field that identifies a particular TV program or event. Assigned by the content provider identified by provider_index, it identifies uniquely all those programs registered 30 in the content provider data base. A 16-bit field that identifies the Transport Stream where the event is being carried. A 16-bit field that identifies uniquely the particular service where the event is being transmitted. A 14-bit field that identifies uniquely a particular event within a given service of this Transport Stream. While program_event_id is a value that identifies an event for a 35 content provider, event_id is the program guide index of an event. A broadcaster who acts simultaneously as a content provider may want to have

10

15

20

25

30

35

both numbers equal, but this may not be valid otherwise. A 32-bit field indicating the event start time. A 20-bit field indicating the length of the event measured in seconds. A 10-byte field for storing the first 10 characters of the English title for the event that this message describes. If the actual title has less than 10 characters, then the title segment must be padded with ESC characters before including it in this field. A 5-byte BCD field indicating the cost of the event. A 16-bit field that indicates the packages to which this event belongs. The most-significant bit corresponds to the first package while the least significant bit corresponds to the 16-th package. If the event belongs to the k-th package, then the k-th bit of this field shall be set to one. More than one bit can be set to one to show an event that belongs to multiple packages. A 64-bit field for the DES key (or a 168-bit field for the TDES key) necessary for de-scrambling the video and audio signals for the event under consideration. A 40-bit field indicating that the user needs to obtain a new private key or verification key by calling the CA server. If flag is set to 1, the key needs to be replaced until the indicated deadline. An 8-bit field for identifying the total length (in bytes) of the AIM descriptor list that follows.

In one embodiment of the present invention, entitlement management messages (ECMs) may be used instead of AIMs. The format of the ECM is privately defined according to MPEG-2 and ATSC specifications. A particular format that may be used comprises an 8-bit table identification field, 3 indicator bits, a 12-bit section length field, an 8-bit protocol version field, a 5 bit version number field, 2 section number fields, a public key field, a transport stream identification field, major and minor channel number fields, 2 event identification fields, a stream PID and descriptors length fields, a cryption check field, a stuffing bytes field, and a 32-bit CRC field.

The security of the system is based on standard and widely accepted public key and symmetric key algorithms. The algorithms chosen are RSA for public key encryption and TDES and/or DES for symmetric key scrambling. There is a global RSA public/private key pair, Kpub/Kpri, for the entire system. The public key is shared by all the broadcasters and the corresponding private key is placed in the tamper-proof NRSS-A based smart cards, distributed by the CA providers to the consumers. This public key is used to protect the AIMs generated at the head-end.

30

15

The AIMs, encrypted under the public key, carry the control words (CWs) which are symmetric DES keys, KDES, used in scrambling the audio/video content in the ECB mode. After decrypting the AIMs with its private key, the card obtains the DES keys and descrambles audio/video streams. At the head-end: Scrambling: $E_{KDES}(AV \text{ stream})$, Encryption: $E_{Kpub}(AIM)$. On the card: Decryption: $D_{Kpri}(E_{Kpub}(AIM))$, Descrambling: $D_{KDES}(E_{KDES}(AV \text{ stream}))$.

The security of the system can be improved in a number of
ways. One feasible approach is to use multiple public keys at the head-end
for encrypting the AIMs. Such use of multiple keys may find benefit in areas of
overlapping markets, for example, the user can receive terrestrial digital
broadcast from more than major market. Another example would be if the
receiver population in a given DMA is divided into distinct subsets and each
subset is assigned a different private key, an attack on one private key would
not compromise the system.

For example, encryption at the head-end may involve four keys, $E_{Kpub1}(AIM)$, $E_{Kpub2}(AIM)$, $E_{Kpub3}(AIM)$, $E_{Kpub4}(AIM)$. Decryption on the card would then be based on one of the following four keys, Card type 1: $D_{Kpri1}(E_{Kpub1}(AIM))$, Card type 2: $D_{Kpri2}(E_{Kpub2}(AIM))$, Card type 3: $D_{Kpri2}(E_{Kpub2}(AIM))$, and Card type 4: $D_{Kpri4}(E_{Kpub4}(AIM))$. The public key used in encrypting the AIM is identified using the identifier in the first byte of the adaptation field. This field indicates the public key used in encrypting the AIM. If the value is i, the active public key is Kpubi.

The E-cash Certificates carry the amount of money to be added to the card. The Package Certificates include the price of the package offered to the customer. Since both of the certificates carry sensitive data, there needs to be a signature mechanism to ensure the integrity of these messages. Therefore, all certificates are sent via a channel with a feedback path, for example, a back channel using a MODEM.

Although the Package Certificates are normally sent from the CA server, there may be different sources (e.g., ATMs or other special terminals) for downloading E-cash to the card. If each source signs with a unique private key, the DTV needs to keep multiple public keys. The present CA system

20

25

30

16

employs an ID-based authentication scheme to allow signature verification using only one public key.

As mentioned earlier, to participate in the scrambling, encryption and signature protocols, the broadcasters, CA servers and the smart cards will need to store certain keys. The storage and use of all types of keys are summarized in Figure 3.

Kpub is kept at the broadcaster site, and is used to encrypt the DES keys that are locally generated to scramble the A/V streams. The card has the corresponding Kpri for recovering the DES keys.

Ksig is used to sign package and E-cash certificates. The signed certificates are verified with Kver stored on the card. In the ID-based scheme described in Section 8.2, Ksig is unique for each certificate provider (CA vendors, ATMs, etc.) but Kver is common to all certificate providers.

Kcallback is shared between the card and the CA server, and is used to encrypt sensitive information exchanged. The information sent from the card to the CA server is payment card no, fixed E-cash and event purchase records. When needed, Kpri and Kver are replaced by the CA server. Kcallback may be unique for each card. Its replacement is only possible by sending a new card to the user.

While the invention has been described in detail with respect to numerous embodiments thereof, it will be apparent that upon reading and understanding of the foregoing, numerous alterations to the described embodiment will occur to those skilled in the art and it is intended to include such alterations within the scope of the appended claims. For example, this invention may be utilized successfully with both digital terrestrial broadcast and transmitted satellite digital signals.

Claims

- 1. A method for managing access to a restricted transmitted event, said method comprising:
- (a) receiving encrypted access information associated with said transmitted event, said access information comprising data corresponding to the cost of said transmitted event;
 - (b) decrypting said access information in a conditional access module;
- (c) verifying, in said conditional access module, that the cost of said transmitted event is less than a pre-stored cash reserve;
- (d) receiving said transmitted event from said service provider, said transmitted event being scrambled; and
 - (e) descrambling said transmitted event in said conditional access module.
- 2. The method of Claim 1 wherein said access information further comprises an event descrambling key and purchase information, said purchase information comprising channel identification data, event identity data, date and time stamp data, and billing data.
- 3. The method of Claim 2 further comprising the step of transferring data associated with said purchased transmitted event to said service provider to update a user's account information.
- 4. The method of Claim 3, wherein said conditional access module comprises a smart card, and said encrypted access information is encrypted using a public key and decrypted using a corresponding private key stored in said smart card.

- 5. The method of claim 4 wherein said public key is shared by all broadcasters.
- 6. The method of Claim 5 wherein said smart card comprises a card body with a plurality of terminals arranged on a surface of said card body in accordance with one of ISO 7816 and PCMCIA card standards.

1/3




FIG. 1 PRIOR ART




FIG. 2

3/3




FIG. 3

EXPRESS WHILE ELGRAPHINEUS

Please type a plus sign (+) inside this box +

PTO/SB/01 (10-00)
Approved for use through 10/31/2002. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Attorney Docket Number	RCA 89131				
DECLARATION FOR UTILITY OR	First Named Inventor	Ahmet Mursit Eskicioglu				
DESIGN	COMPLETE IF KNOWN					
PATENT APPLICATION (37 CFR 1.63)	Application Number	/				
	Filing Date					
Declaration Submitted OR Submitted after	Group Art Unit					
with Initial Initial Filing Filing (surcharge (37 CFR 1.16(e))	Examiner Name					

As a below named i	nventor, I here	by declare that:			-		
My residence, mailing	g address, and	citizenship are as s	tated below next	to my name	е.		
I believe I am the orig	inal, first and so	ole inventor (if only	one name is list	ed below) o	r an original, first	t and joint inventor	r (if plural
A CONDITIONA				•	-	te invention entitle	
the specification of	f which	/Titl	e of the Inventio	n)			
is attached he		(110	e or the invention	"			
or		Γ					o r
was filed on (I	MM/DD/YYYY)	July15	, 1999	as Unite	d States Applica	tion Number or Po	C1 International
Application Number	PCT/US9	9/16188 and w	as amended on	(MM/DD/Y	YYY) Septer	nber 21, 2000	(if applicable).
I hereby state that I ha amended by any ame	ave reviewed ar	d understand the cally referred to abo	ontents of the at	ove identifi	ed specification,	including the clair	ms, as
I acknowledge the o	duty to disclos	e information whi	ch is material	to patental	oility as defined	in 37 CFR 1.5	56, including for
continuation-in-part ap	oplications, mat ational filing da	erial information water of the continuation was a continuation was a continuation was a continuated as a continuated	nich became av on-in-part applica	ailable betw ition.	veen the filing di	ate of the prior ap	pplication and the
I hereby claim foreign certificate, or 365(a) of listed below and have international application	any PCT internalso identified b	ational application	which designate the box, any for	d at least or eign applica	ne country other	than the United S	tates of America,
international application	II Having a ming	date belove that or	the application (on which ph	ionty is claimed.		
Prior Foreign			Foreign Fili	ng Date	Priority	Certified Cop YES	py Attached? NO
				i		믐	
		:			Ö	ļ	Ö
Additional foreign	application num	bers are listed on a	supplemental p	riority data	sheet PTO/SB/0	2B attached heret	o:
I hereby claim the ber							``
Application Nu	mber(s)	Filing Date	(MM/DD/YYYY)				
60/093,2	23	July	17, 1998			ional provisiona ers are listed or	
	Ì				suppl	emental priority	data sheet
					PTO/	SB/02B attache	ed hereto.
1							

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

					\neg
Please type a	plus sign	(+	inside this box	\rightarrow	l + I

PTO/SB/01 (10-00) Approved for use through 10/31/2002. OMB 0651-0032 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Attorney Docket Number	RCA 89131
DECLARATION FOR UTILITY OR	First Named Inventor	Ahmet Mursit Eskicioglu
DESIGN	COMPLETE	IF KNOWN
PATENT APPLICATION (37 CFR 1.63)	Application Number	/
<u> </u>	Filing Date	
☐ Declaration ☐ Declaration ☐ Declaration ☐ Submitted OR ☐ Submitted after	Group Art Unit	
with Initial Initial Filing Filing (surcharge (37 CFR 1.16(e))	Examiner Name	

As a below named invent	or, I hereby declare that:			
My residence, mailing addr	ess, and citizenship are as si	tated below next to my na	me.	
I believe I am the original, i names are listed below) of	irst and sole inventor (if only the subject matter which is c	one name is listed below) laimed and for which a par	or an original, firs tent is sought on t	t and joint inventor (if plural he invention entitled:
A CONDITIONAL AC	CESS SYSTEM FOR BR	OADCAST DIGITAL	TELEVISION	
the specification of whic	h <i>(Titl</i>	e of the Invention)		
is attached hereto				
OR was filed on (MM/D	D/YYYY) July15.	1999 as Uni	ted States Applica	ation Number or PCT International
<u>`</u>				
l '' ——-	<u></u>	vas amended on (MM/DD/	· <u> </u>	mber 21, 2000 (if applicable).
I hereby state that I have re amended by any amendmen	viewed and understand the c nt specifically referred to abo	ontents of the above ident ve:	ified specification,	, including the claims, as
continuation-in-part applicat	o disclose information which tions, material information what al filing date of the continuation	hich became available be	ability as defined tween the filing d	d in 37 CFR 1.56, including for ate of the prior application and the
certificate, or 365(a) of any F	PCT international application of the control of the	which designated at least the box, any foreign appli	one country other cation for patent of	plication(s) for patent or inventor's than the United States of America, or inventor's certificate, or any PCT
Prior Foreign		Foreign Filing Date	Priority	Certified Copy Attached? YES NO
:				
				H H
Additional foreign applic	ation numbers are listed on a	supplemental priority data	a sheet PTO/SB/0	2B attached hereto:
I hereby claim the benefit u	nder 35 U.S.C. 119(e) of any	United States provisional	application(s) liste	ed below.
Application Number(s) Filing Date	(MM/DD/YYYY)		
60/093,223	July	7 17, 1998	numb suppl	ional provisional application lers are listed on a lemental priority data sheet SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/01 (10-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

-									
Direct all con	respondence to: 1 1	Customer Nu or Bar Code I] 0	R 🛛	Correspondence	address below
Name	JOSEPH S. TRIPOLI - PA	TENT OPER	RATIONS						
Address	THOMSON multimedia Li	censing Inc.							
Address	PO Box 5312								
City	PRINCETON				State	NJ		ZIP 08540	
Country	US		Telephon	e 609-734	-9875		:	Fax 1-609-73	4-9700
belief are like so ma	declare that all statements believed to be true; and fu ade are punishable by fine e the validity of the applicat	rther that the or imprisor	ese statement, or t	ents were o	nade wit	h the k	nowledge th	at willful false sta	atements and the
NAME OF	SOLE OR FIRST INV	ENTOR:			A petit	ion ha	s been fil	ed for this uns	signed inventor
Given Name (first and mid	Idle [if any]) AHMET MU	RSIT			Family or Suri		ESKICIO	GLU	
Inventor's Signature								Date	
Residence: C	City INDIANAPOLIS			State IN		Count	ry US	Citizenship	TR
Mailing Addre	ess 8235 Lakeshore Trail A	pt. 125			*			-	
Mailing Addre	ess								
City Indianap	oolis	State IN			ZIP 4	5250		Country US	
NAME OF	SECOND INVENTOR	:			A peti	tion ha	as been fi	ed for this un	signed inventor
Given Name (first and mid	idle [if any]) WILLIAM W	ESLEY			Family or Suri		BEYERS		
Inventor's Signature								Date	
Residence: C	City Carmel			State IN		Cou	ntry US	Citizenship	us
Mailing Addre	ess 1075 Arrow Wood Dr	ive							
Mailing Addre	ess								
City Carmel		State IN			ZIP 46	032		Country US	
Additional	inventors are being named	on <u>1</u>	suppleme	ntal Additio	nal Inve	ntor(s) s	sheet(s) PT	D/SB/02A attach	ed hereto.

				•	4	r		
Diabea to	una a	nhie	eian	(+)	incida	this box	_	1 -
LICOSC I	ype a	Dius	JIGH	ι.,	11113146	HIIO DOX		

PTO/SB/01 (10-00)
Approved for use through 10/31/2002. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

Lirect all correspondence to:	ustomer Num r Bar Code La	L L			OR 🛛	Correspondence address below
Name JOSEPH S. TRIPOLI - PA	TENT OPERA	TIONS				····
Address THOMSON multimedia Li	censing Inc.					
Address PO Box 5312						
City PRINCETON				State _	NJ	ZIP 08540
Country US	Т	elephone	e 609-734-9	9875		Fax 1-609-734-9700
I hereby declare that all statements belief are believed to be true; and fu like so made are punishable by fine jeopardize the validity of the applicat	rther that thes or imprisonn	e stateme	ents were moth, under	nade with	the knowledge	that willful false statements and the
NAME OF SOLE OR FIRST INV	ENTOR:			A petiti	on has been t	filed for this unsigned inventor
Given Name (first and middle [if any]) AHMET MU	RSIT_			Family or Surn	DOME	OGLU
Inventor's Signature Almet M Residence: City INDIANAPOLIS	ussit	Eslen	uoglu			Date 1/30/01
Residence: City INDIANAPOLIS	IN		State IN		Country US	Citizenship TR
Mailing Address 8235 Lakeshore Trail A	pt. 125					
Mailing Address						
City Indianapolis	State IN		<u>.</u>	ZIP 46	250	Country US
NAME OF SECOND INVENTOR				A petit	ion has been	filed for this unsigned inventor
Given Name (first and middle [if any]) WILLIAM V	VESLEY			Family or Surn	TOTAL TOTAL	3
Inventor's Bella (e), 10	Leger	4				Date 2/8/2001
Residence: City Carmel	NO		State IN		Country US	Citizenship US
Mailing Address 1075 Arrow Wood Dr	ive					
Mailing Address						
City Carmel	State IN			ZIP 460	032	Country US
Additional inventors are being named	d on 1	suppleme	ntal Additio	nal Inver	ntor(s) sheet(s) P	TO/SB/02A attached hereto.



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page 3 of 3

Name of Addition	nal Joint Inventor, if any	/ :		A petition has been f	iled for t	this unsigned inventor	
Given N	ame (first and middle [if any])		Family N	lame or	Surname	
IZZAT HEKMAT	•		IZZA	(T			
Inventor's Signature			/			Date	
Residence: City	Carmel	State IN		Country US		Citizenship US	
Mailing Address	2249-6 East 151st Street			· · · · · · · · · · · · · · · · · · ·			
Mailing Address		<i></i>					
City	Carmel	State IN		ZIP 46033	Coun	try US	
Name of Additio	nal Joint Inventor, if an	y:		A petition has been f	iled for	this unsigned inventor	
Given Name (first and middle [if any])			Family Name or Surname				
EDWIN ARTUR	<u>0</u>		H	EREDIA			
Inventor's Signature	Edwin	Arturo	ن ر	Herelia	ر	March 6, 2001	
Residence: City	San Jose CA	State CA		Country US		Citizenship Boliva	
Mailing Address	1700 North First Street /	1409	7 W	hitewood (Ct.	E.74_	
Mailing Address					6 X		
City	San Jose	State CA		95131 ZIP 95112	Co	untry US	
Name of Additio	nal Joint Inventor, if an	y:		A petition has been t	iled for	this unsigned inventor	
Given N	ame (first and middle [if any]])		Family N	lame or	· Surname	
YOUSEF WASE	इ		NIJI	М			
Inventor's Signature						Date	
Residence: City	Carmel	State IN		Country US		Citizenship Jordan	
Mailing Address	5808 Tanager Lane						
Mailing Address							
City	Carmel	State IN		ZIP 46033		Country US	

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Approved for use through 10/31/2002. OMB 0851-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page <u>3</u> of <u>3</u>

ame of Addition	nal Joint Inventor, if any	y:	A petition has been filed for this unsigned inventor					
Given Na	ame (first and middle [if any]])		Family I	Name or	Surname		
IZZAT HEKMAT IZZAT								
Inventor's Signature	issat h	chart	<u>in</u>	2 A		Date 1/25/01		
Residence: City	Carmel IN	State IN	Country US Citizenship US /					
Mailing Address	2249-6 East 151st Street	,						
Mailing Address								
City	Carmel	State IN		ZIP 46033	Coun	try US		
lame of Additio	nal Joint Inventor, if an	y:		A petition has been	filed for	this unsigned inventor		
Given Na	ame (first and middle [if any])		Family Name or Surname				
EDWIN ARTURO)		Н	EREDIA				
Inventor's Signature						Date		
Residence: City	San Jose	State CA	c	ountry US		Citizenship Boliva		
Mailing Address	1700 North First Street	#235						
Mailing Address								
City	San Jose	State CA		ZIP 95112	Co	untry US		
lame of Addition	nal Joint Inventor, if an	y:		A petition has been	filed for	this unsigned inventor		
Given Na	ame (first and middle [if any	1)	Family Name or Surname					
YOUSEF WASEF	-	۸ .	NIJIN	<u> </u>				
Inventor's Signature	Soul w	one 1	, ,	*		Date 01/25/01		
Residence: City	Carmel JN	State IN Country US Citizenship Jordan						
Mailing Address	5808 Tanager Lane							
Mailing Address								
City	Carmel	State IN		ZIP 46033	Ì	Country US		

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.